
SURECOLOR SIGNAGE PRINTERS RANGE BROCHURE





Impeccable print quality and spectacular accuracy with Epson's large format printers.

The new Epson SureColor large format printers are Epson's next generation of high-performance signage printers, which incorporate the latest printing technologies to be Epson's most advanced signage printers to date. The printers come with the new sophisticated precision media feeding system, high-performance printheads, and a myriad of advanced features that enable them to reliably meet the most demanding jobs while minimising operation costs.

ENGINEERED FOR GOOD











Exceptional Print Quality

Explore enhanced printing speeds with the latest Epson technology, thanks to an expanded printhead width and increased nozzle count.

Super Reliability

High-volume printing is made ultra-reliable with an advanced precision media feeding system* to ensure minimal downtime.

Engineered For Convenience

Epson's solutions such as Epson Cloud Solution PORT and Epson Edge Print helps with ease of use and remote management during operations.

EPSON



To find out more, visit www.computergraphics.com.ph













INK AND PRINTHEAD TECHNOLOGY



EPSON TOTAL SOLUTIONS




BRILLIANCE IN RELIABILITY

Leading the next generation of high-performance signage printers, the Epson SureColor printers are engineered with advanced functions and the latest printing technologies. With printheads tailor-made to cater to each ink type, the SureColor printers produce impeccable text and image sharpness across a wide range of ink and media with micron-level precision and reliability.

Epson's Piezo Technology

Utilising Epson's Piezo Technology, the SureColor printers can prolong printhead longevity thanks to their heatless system, providing reliable long-term operation. The piezo element also acts as a highly-sensitive sensor that detects irregularities, such as interrupted firing by an air bubble or if rising ink viscosity is causing issues, all within milliseconds.



R-series printhead

Superior Ink Technology

Advanced ink technology from Epson brings a wide gamut of colours that comes with high image quality. The inks are optimised to perform high quality images and reduce machine downtime.

Eco-Solvent Printing

Using Epson UltraChrome GS3 ecosolvent ink – including an all-new Red solvent along with the option for White or Metallic Silver inks* - for outstanding photographic print quality, durability, and media compatibility.

*For selected models only.

Resin Printing

Epson's UltraChrome RS Ink offers wide substrate support. The odourless water-based ink enables the use of printed applications in sensitive environments.

UV Ink

Vibrant 10-colour UltraChrome UV ink, including dedicated red and grey inks, ensures smooth gradation and natural grey effects. The availability of varnish ink creates a visual and tactile experience.









CONNECT. OPTIMISE. GROW

At Epson, we understand that having real-time information at your fingertips is vital to your daily operations. This is why we have introduced the Epson Cloud Solution PORT, an intuitive cloud-based remote monitoring software. Monitor and manage your fleet of printers effectively across multiple sites, or a single site. Epson Cloud Solution PORT can be accessed from multiple devices including PCs, smartphones and tablets.

Fleetwide Printer Management

When managing printer efficiency and usage, intelligent and intuitive production monitoring is essential for maximising productivity, connectivity, and growth. A clear and simple dashboard, drawing from vast amounts of usage data, provides the insight needed to make critical business decisions.

Remote Monitoring System

Designed with simplicity and security in mind, the Epson Cloud Solution PORT provides a live view of your printer fleet production, equipment utilisation, and service information to better manage efficiency and optimise your Epson printing workflow.



Remote Monitoring

View live status of the entire printer fleet, output production rates, printer status, errors, and equipment utilisation.



Secure & Encrypted

Data stream and cloud are encrypted end-to-end to protect customers' privacy and usage data.



Production Efficiency Tracking & Reporting

Run reports to view total production efficiency, uptime, and printer usage.



Mobile Access, No App Needed!

Optimised mobile website allows for easy, remote tracking of printer fleet while on the go.



Dashboard Tracking

Create in-shop dashboard to internally communicate key performance metrics to employees.



Expedited Service Response

Epson support helps reduce downtime with fast, remote troubleshooting.

¹ All features of this system require an active internet connection and use of a supported browser



ECO SOLVENT

The eco-solvent inks are generally more suitable for general printing of indoor signages (i.e. on PVC material), offering a wide colour gamut and competitive cost per print.



Retail Signage



Event & Exhibition



Backlit



Window Graphic



Window Sticker



RESIN

The resin inks are recommended for unique printing applications. Because of 'instant lamination' and higher scratch durability finishing, the inks are more suitable for applications requiring such features.



Outdoor Signage



Vehicle Wrap



Wallpaper



Canvas



Textile



UV

UV printing uses a unique drying method compared to the traditional inks where instead of evaporation, they are cured using high-intensity UV lights. This allows operators to use UV printing on virtually any substrate, catering to a wider range of media.



Stainless Steel



Wall Display Tile



Acrylic Frame



Glass Facade



Wooden Panel




ECO-SOLVENT PRINTER

QUITE POSSIBLY THE BEST ECO-SOLVENT SIGNAGE PRINTERS EVER

Epson SureColor S-Series eco-solvent printers offer exceptional productivity, outstanding image quality, and iron-clad reliability.

With lightning-fast printing speeds and lamination capability, the SureColor S-Series printers empower you to turn around jobs fast. Additionally, the automated printer maintenance system lets you focus on printing, not on the printer.




A precision media feeding and take-up system

Ensures virtually any roll media feeds accurately, nearly eliminating buckling and skewing.

Patented technology

Deliver increased speed, rock-solid reliability and unbeatable image quality for customer-pleasing results every time.







GREENGUARD Gold Certified

With low emission and VOC, GS3 inks are safe for indoor use.



GS3 ULTRACHROME GS3 INK



MAX. INK CAPACITY PER COLOUR 700ml

Entry-Level Sign Printer

SC-S40670



- Outstanding quality at affordable cost of ownership
- Print speed of up to 58.4m² per hour
- Single PrecisionCore TFP Printhead



GS3 ULTRACHROME GS3 INK





MAX. INK CAPACITY 700ml

Productive Sign Printer

SC-S60670



- Print speed of up to 95.3m² per hour
- High productivity with Dual PrecisionCore TFP Printhead
- Fabric Wiping System dramatically reduces manual maintenance



GS3 ULTRACHROME GS3 INK



MAX. INK CAPACITY PER COLOUR 700ml*



Versatile Sign Printer

SC-S80670

- Widest colour gamut to meet most demanding jobs with 10-colour configuration
- Epson UltraChrome GS3 ink Technology with Red Greenguard Gold certified for low chemical emissions
- Amazing quality and detail with smooth gradations, accurate skin tones and sharp, grain-free images

* 700ml for all colours: except 600ml for White & 350ml for Metallic Silver.



ECO-SOLVENT PRINTER

REDUCE INK COSTS WITH BULK-INK EDITIONS

These printers break new ground in sign printing by dramatically reducing ink costs. They deliver fast print speeds, best-in-class 98.2%¹ PANTONE certification² and lamination along with the convenience and savings of bulk ink.

Innovative bulk-ink packs offer low ink cost, so you can print more at a lower ink cost per square foot. Plus, in addition to delivering longer, unattended printing, they reduce plastic waste compared to traditional cartridge systems.



Epson Edge Print Pro

Offers a simple and effective tool for production imaging in environments which do not require advanced workflow management.

A first-of-its-kind fabric wiping system

Improves printhead life while automating maintenance to keep your printer running in top form.





High volume 1.5-Litre bulk-ink packs

Save time and money, reduce waste and increase uptime because you have to replace ink less frequently.

² PANTONE® certification applies to SC-S80670L only.

64"

GS3 ULTRACHROME GS3 INK



Dual 4-Colour Bulk-Ink Sign Printer

10-Colour Bulk-Ink Sign Printer

SC-S60670L



- Dual, 4-colour UltraChrome GS3 ink for high productivity
- Greenguard Gold certified for low chemical emissions



GS3 ULTRACHROME GS3 INK WITH RED



MAX. INK CAPACITY PER COLOUR 1500ml*





- Pantone Digital Colour certified for high colour accuracy
- Media Versatility through Auto-Tension control and paper feeding mechanism

20-hours*

of continuous unattended printing

The SureColor S-Series printers enable up to 20-hours* of continuous unattended printing with a 50%** less need for replacements therefore enabling operators to attend to other matters.



1.5L
Bulk Ink Packs
offers 2X
Ink Capacity

For SC-S60670L and SC-S80670L:

* Based on internal simulation of solid colour printing. Actual result could differ based on printing conditions.

**Ink cartridge and waste ink bottle replacement frequency: Approximately 50% less than the S-series cartridge edition (SC-S40670 / S60670 / SC-S80670).

^{1 98.2%} coverage of PANTONE PLUS FORMULA GUIDE solid-coated palette on adhesive vinyl media. PANTONE coverage may vary when printed under other conditions.

^{* 1,500}ml for colour and White, 500ml for Metallic Silver.



RESIN PRINTER

HIGHLY VERSATILE, HIGH-PERFORMANCE RESIN PRINTERS

Epson SureColor R-Series 64" roll-to-roll printers are the perfect choice for high-volume shops looking for a fast, versatile printing solution. Tackle any signage job with all new, multi-purpose resin ink that delivers outstanding, repeatable colour on a wide range of media, including wallpapers, uncoated papers, and more. Blistering print speed and immediate lamination boost productivity. Plus, economical bulk ink packs offer increased convenience and reduce the total cost of ownership.



Epson UltraChrome RS resin inks

Dries instantly for highly scratch-resistant prints that you can laminate immediately for faster turnaround.

Instant lamination

Achieve fuss-free instant lamination with our durable water-based inks.





New multi-purpose resin ink

Delivers extremely accurate, reliably consistent, high-quality colour for repeat jobs, brand colours, wall tiling applications and more.

64"

RS3 ULTRACHROME RS3 INK



MAX. INK CAPACITY PER COLOUR 1500ml

Standard Resin Printer

SC-R5030



- Outstanding image quality and repeatable colour at production speeds
- Convenient, efficient 1.5-Litre bulk ink packs



RS3 ULTRACHROME RS3 INK



MAX. INK CAPACITY PER COLOUR 3000ml (1500ml x 2)


Supersized Bulk-Ink Resin Printer SC-R5030L



- High-quality, colour-accurate output on a wide variety of media
- Cost-reducing 3-Litre (1.5-Litre x 2 packs) bulk ink system
- Hot swap function reduces printer down time

Q


What is Water-Based Resin?



Water-Based Resin Inks contain

- Water
- Resin
- Wetting Agent
- Humectant

The UltraChrome RS Ink forms a more uniform layer of ink on the print media, eliminating the existing challenge of diffused reflection from surfaces.



SC-V1030

AMPLIFY CREATIVITY WITH CUSTOMISABLE NOVELTY GOODS

Designed for the competitive niche market of customisable products, the Epson SureColor SC-V1030 is the perfect printer for businesses prioritising versatility and performance in their A4 desktop UV printing needs. The printer's extensive substrate compatibility, including wood and stainless steel, consistently delivers high-quality prints, providing new opportunities for businesses.



Fine print quality


Achieve impeccable results with fine lines and sharp text on a wide range of compatible substrates. With Epson UltraChrome UV inks, users can expect vibrant outputs in every print.



Smart operation

The Auto Height Adjustment function automatically adapts to substrates up to 70mm thick, while the Wide Gap function enhances clarity on three-dimensional items like golf balls, pens, and phone cases, ensuring optimal printing performance.





Auto Height Adjustment

Wide Gap Function

Flexible placement

With its compact design, the printer fits easily on desks or workbenches for easy job monitoring. The front operation streamlines maintenance and allows wire-free placement at the rear. Multiple units can be positioned side-by-side to maximise space.







MAX. INK CAPACITY 140ml




- Print with high precision, achieving crisp text and detailed images on small customised goods
- Compact front-load design allows for flexible placement in tight spaces without obstructing printing operations
- Maintenance is easy and safe with the no-ink-contact design and automatic wiper unit that deposits cured UV ink into a tank

Easy maintenance and operation



Safe Maintenance

Featuring automatic printhead cleaning function, ink contact is minimised with the wiper unit that cleans and safely deposits cured UV ink into the tank.



Internal Air Circulation

With two built-in air filters that reduces odour, the printer is safe for operation in a closed environment.





Large Display Panel

Effortlessly manage and oversee your print jobs, monitor ink levels, and perform printhead cleaning using the LED display panel. The panel also provides convenient visibility in low-light environments.

Print on variety of substrates

Print directly onto a large variety of substrates including wood, stainless steel, acrylic, plastics, ceramic, and more. Businesses can provide high-value novelty goods that are unique and personlised, offering customised products that are not commonly found.












Plastics

Ceramic

UV PRINTER

PRODUCTION UV FLATBED PRINTER

With the ability to print directly on a wide variety of rigid substrates up to 80mm thick, the Epson SureColor SC-V7000 flatbed printer offers a cost-effective solution for expanding your shop's capabilities. Featuring 10-colour UltraChrome UV Ink, including red and grey inks, it produces bright, colourful, tactile high-quality prints with smooth gradation and neutral greys in record time. Plus, the quick media loading and easy alignment, along with intuitive RIP software makes the SureColor SC-V7000 a breeze to use.







Epson SC-V7000 with Variable Droplet

Epson Ultrachrome UV Inks

With up to 10 colour ink sets that provide low graininess and banding, the UV flatbed printer provides highly vivid and consistent prints with its striking reds and stunning colours.



Wide media usage

Automatic detection and adjustment to accommodate media of up to 80mm thick. The four zone vacuum can easily hold media in place securely.





White ink and varnish

Producing rich, high-quality prints on a variety of materials, the White ink and varnish enable operators to print glossy finishes, various textures, and more.


Flatbed UV Printer

SC-V7000









- Prints on media and rigid substrates up to 2.50m by 1.25m and 80mm thick
- Delivers outstanding quality prints at true production speeds
- Includes Epson Edge Print RIP software

Versatility Redefined

Epson's SC-V7000 reinvents what large format printers can offer, allowing businesses to print directly on a wide variety of substrates* up to 80mm media thickness. This includes vinyl, textile, canvas, film, aluminium composite boards and styrofoam boards. The possibilities to create with the SC-V7000 are limitless!



*Some materials will require pre-treatment. Contact Epson to find out more.

SURECOLOR SIGNAGE **PRINTERS**

SOLVENT PRINTING












MODEL NUMBER	SC-S40670	SC-S60670	SC-S80670	SC-S60670L	SC-S80670L
PRINT Technology	PrecisionCore Inkjet, Variable-Sized Droplet Technology	PrecisionCore Inkjet, Variable-Sized Droplet Technology			
Printhead	PrecisionCore TFP Printhead	PrecisionCore TFP Printhead	PrecisionCore TFP Printhead	PrecisionCore TFP Printhead	PrecisionCore TFP Printhead
Maximum Resolution	1440 x 1440 dpi	1440 x 1440 dpi			
Print Speed	2 Pass – Up to 29.4 m²/h (720 x 720 dpi) 4 Pass – Up to 16.6 m²/h (720 x 720 dpi) 6 Pass – Up to 11.0 m²/h (720 x 1440 dpi)	2 Pass – Up to 52.3 m²/h (720 x 720 dpi) 4 Pass – Up to 31.6 m²/h (720 x 720 dpi) 6 Pass – Up to 20.7 m²/h (720 x 1440 dpi)	2 Pass – Up to 52.3 m²/h (720 x 720 dpi) 4 Pass – Up to 26.8 m²/h (720 x 720 dpi) 6 Pass – Up to 18.2 m²/h (720 x 1440 dpi)	2 Pass – Up to 52.3 m²/h (720 x 720 dpi) 4 Pass – Up to 31.6 m²/h (720 x 720 dpi) 6 Pass – Up to 20.7 m²/h (720 x 1440 dpi)	2 Pass - Up to 52.3 m²/h (720 x 720 dpi) 4 Pass - Up to 26.8 m²/h (720 x 720 dpi) 6 Pass - Up to 18.2 m²/h (720 x 720 dpi)
INK Ink Type	Epson UltraChrome GS3 ink	Epson UltraChrome GS3 ink	Epson UltraChrome GS3 ink with Red	Epson UltraChrome GS3 ink	Epson UltraChrome GS3 ink with Red
Colour	Cyan, Magenta, Yellow, Black	Cyan, Magenta, Yellow, Black	Cyan, Magenta, Yellow, Black, Light Cyan, Light Magenta, Light Black, Orange, Red, White, Metallic Silver	Cyan, Magenta, Yellow, Black	Cyan, Magenta, Yellow, Black, Light Cyan, Light Magenta, Light Black, Orange, Red, White, Metallic Silver
Ink Capacity	700ml	700ml	700ml Except White (600ml), Metallic Silver (350ml)	1500ml	1500ml
Ink Case	Ink Cartridge	Ink Cartridge	Ink Cartridge	Ink Pack	Ink Pack
MEDIA HANDLING Paper Path	Friction Feed	Friction Feed	Friction Feed	Friction Feed	Friction Feed
Maximum Roll Diameter/Weight	Max. 250mm / 45kg	Max. 250mm / 45kg			
Maximum Reel Diameter/Weight	Max. 200mm	Max. 200mm	Max. 200mm	Max. 200mm	Max. 200mm
CONNECTIVITY Interface	Hi-Speed USB 2.0, 100BASE-TX/10000BASE-T	Hi-Speed USB 2.0, 100BASE-TX/10000BASE-T	Hi-Speed USB 2.0, 100BASE-TX/10000BASE-T	Hi-Speed USB, 100BASE-TX/1000BASE-T	Hi-Speed USB, 100BASE-TX/1000BASE-T
Printer Language	ESC/P	ESC/P	ESC/P	ESC/P	ESC/P
Memory	Printer: 512MB Network: 128MB	Printer: 512MB Network: 128MB	Printer: 2GB Network: 128MB	Printer: 512MB Network: 128MB	Printer: 2GB Network: 128MB
ENVIRONMENTAL CHARACTERISTICS Temperature	Operating: 15°C to 35°C (20°C to 32°C recommended)	Operating: 15°C to 35°C (20°C to 32°C recommended)			
Humidity	Operating: 20 - 80% (40 to 60% recommended)	Operating: 20 – 80% (40 to 60% recommended)	Operating: 20 - 80% (40 to 60% recommended)	Operating: 20 – 80% (40 to 60% recommended)	Operating: 20 – 80% (40 to 60% recommended)
DIMENSIONS & WEIGHT Printer Dimension (W) (mm) - Max	2620	2620	2620	2766	2766
Printer Dimension (D) (mm) - Max	1090	1147	1090	1147	1090
Printer Dimension (H) (mm) - Max	1670	1670	1670	1671	1671
Weight	Approx. 279kg (without ink)	Approx. 291kg (without ink)	Approx. 284kg (without ink)	Approx. 331kg (without ink)	Approx. 326kg (without ink)

EPSON Edge Print - OS: Windows 11, Windows 10 x64 - CPU: Intel® Core™ i7-14700 Processor (20core (8P+12E)/2.1GHz) or more - Free Memory Space: 32GB or more - Storage: 1TB (or larger) Solid State Drive or more - Monitor: 1280 x 1024 or more EPSON Edge dashboard - OS: Windows 7 x32/64 SP1, 8 x64, 8.1 x64, 10 x64 - CPU: Multicore processor 3.0GHz (Recommend: Intel® Core™ i5 3.4GHz or later) - Free Memory Space: 4GB or more - Storage: 2GB or more - Monitor: 1280 x 1024 or more

SYSTEMWin PC System Requirement

SURECOLOR SIGNAGE PRINTERS

RESIN PRINTING





Memory

ENVIRONMENTAL CHARACTERISTICS Temperature

Humidity

DIMENSIONS & WEIGHT

Printer Dimension (W) (mm) - Max

Printer Dimension (D) (mm) - Max

Printer Dimension (H) (mm) - Max

Weight

SYSTEM

Win PC System Requirement

Mac System Requirement



SC-R5030



SC-R5030L

PrecisionCore Inkjet, Variable-Sized Droplet Technology

PrecisionCore TFP Printhead

1200 x 2400 dpi with 600 x 600 dpi 8 Half Tone layers

Adhessive Vinyl, Paper/Other: 9 Pass Production 15.1 m²/h Banner, Non-woven Wallpaper: 6 Pass Production 21.0m²/h Textile: 14 Pass Production 9.5 m²/h Film: 26 Pass Production 5.2 m²/h

UltraChrome RS Ink

Cyan, Magenta, Yellow, Black, Light Cyan, Light Magenta

1500ml 1500ml x 2

Ink Supply Unit

Friction Feed

Max. 250mm / 45kg

Max. 200mm / 45kg

USB (Hi-speed USB), 100BASE-TX/1000BASE-T

ESC/P

2GB

Operating: 15°C to 30°C (20°C to 32°C recommended)

Operating: 20 - 80% (40 to 60% recommended)

2949

1045

1774

Approx. 425kg (without ink)

Approx. 449kg (without ink)

EPSON Edge Print - OS: Windows 11, Windows 10 x64 - CPU: Intel® Core™ i7-14700 Processor [20core [8P+12E]/2.1GHz] or more - Free Memory Space: 32GB or more - Storage: 1TB (or larger) Solid State Drive or more - Monitor: 1280 x 1024 or more

EPSON Edge dashboard - OS: Mac OS X(10.7) or later - CPU: Multicore processor 3.0GHz

SURECOLOR SIGNAGE PRINTERS

UV PRINTING

PRINT

Techr

Printh

Maxim

Print 9

Ink Ty

Colou

Ink Ca

Ink Ca MEDIA

Maxim

Maxin





Super-Speed USB (Type-B)

N/A

N/A

Operating: 15°C to 35°C (20°C to 32°C recommended)

Operating: 20 - 80%

(40 to 60% recommended)

4635

2768

1730

Approx. 1,370kg (with ink cartridges)

MODEL NUMBER		SC-V103

EL NUMBER	SC-V1030	SC-V7000	
T nology	MicroPiezo Inkjet, Variable-Sized Droplet Technology	MicroPiezo Inkjet, Variable-Sized Droplet Technology	
nead	MicroPiezo Printhead	MicroPiezo Printhead	
num Resolution	1440 x 1440 dpi	720 x 1440 dpi	
Speed	12 Pass (Colour) – 0.89 m²/h (720 x 720 dpi) 16 Pass (White) – 0.65 m²/h (1440 x 720 dpi)	Colour High Speed – Up to 43.1 m²/h (360 x 720 dpi) Speed – Up to 23.2 m²/h (720 x 720 dpi) Production – Up to 15.3 m²/h (720 x 720 dpi) Quality – Up to 10.5 m²/h (720 x 1080 dpi) High Quality – Up to 4.8 m²/h (720 x 1440 dpi)	
/pe	Epson UltraChrome UV Ink	Epson UltraChrome UV Ink	
ır	Cyan, Magenta, Yellow, Black, White, Varnish	Cyan, Magenta, Yellow, Black, Light Cyan, Light Magenta, Grey, Red, White, Varnish	
apacity	140ml	1000ml	
ase	Ink Supply Unit	Ink Bottle	
A HANDLING num Media Size	Max. 210 x 297mm	Max. 2500 x 1250mm	
num Media Thickness/Weight	70 mm	Max. 80mm / Max. 50kg/m² (non-concentrated) Suction System User Selectable 4 Zones (X Axis: 2 Zones. Y Axis: 2 Zones)	

Super-Speed USB (Compatible with the

USB 3.0 Specifictaion), 100BASE-TX /

1000BASE-T / IEEE802.11b/g/n/az/ac ESC/P raster

1 GB

Operating: 15°C to 30°C

Operating: 20 - 80%

(40 to 60% recommended)

699

699

426

Approx. 59kg

CONNECTIVITY Interface Printer Language Memory

ENVIRONMENTAL CHARACTERISTICS Temperature

Humidity

DIMENSIONS & WEIGHT Printer Dimension (W) (mm) - Storage

Printer Dimension (D) (mm) - Storage

Printer Dimension (H) (mm) - Storage

Weight

EPSON Edge dashboard – OS: Windows 7 x32/64 SP1, 8 x64, 8.1 x64, 10 x64 – CPU: Multicore processor 3.0GHz (Recommend: Intel® Core™ i5 3.4GHz or later) – Free Memory Space: 4GB or more – Storage: 2GB or more – Monitor: 1280 x 1024 or more – UV Flatbed Controller: Win8/10 64bit, 8GB M, 250GB SSD, USB 3.0

SIGNAGE CONSUMABLES & OPTIONS

SC-S40670 / SC-S60670 SC-S80670





Description		Ink Capacity	Product Code	Ink Capacity	Product Code
	Black Ink	700 ml	C13T892100	700 ml	C13T892100
	Cyan Ink	700 ml	C13T892200	700 ml	C13T892200
	Magenta Ink	700 ml	C13T892300	700 ml	C13T892300
	6 Yellow Ink	700 ml	C13T892400	700 ml	C13T892400
	💧 Light Cyan Ink			700 ml	C13T892500
	Light Magenta Ink			700 ml	C13T892600
	6 Grey Ink				
	Light Black Ink			700 ml	C13T892700
	ncolon Orange Ink			700 ml	C13T892800
S	Red Ink			700 ml	C13T892900
불	White Ink			600 ml	C13T892A00
ΔĀ	Metallic Silver Ink			350 ml	C13T892B00
SUI	Cleaning Liquid	350 ml	C13T696000	350 ml	C13T696000
CONSUMABLES	Varnish				
ပ	Optimiser				
	Maintenance Liquid				
	Maintenance Parts Kit		C13S210044		C13S210044
	Ink Cleaner		C13T699300		C13T699300
	Cleaning Stick		C13S090013		C13S090013
	Clean Room Wiper		C13S090016		C13S090016
	Waste Ink Bottle		C13T724000		C13T724000
	Wiper Unit				
	Cleaning Kit				
	Coolant				
	Bulk Ink Solution				
	Substrate Support System		C12C932361		C12C932361
п	Additional Print Drying System		C12C932381		C12C932381
OPTIONS	Option Set* *Includes Bulk Ink Solution, Substrate Support System and Curing heater.		C12C932411		C12C932411
	Media Edge Plate		C12C932411		C12C932411
	Media Spacer				
	Head Installation Kit				
	Document Pack				

SIGNAGE CONSUMABLES & OPTIONS



SC-S60670L



SC-S80670L

Description		Ink Capacity	Product Code	Ink Capacity	Product Code
	Black Ink	1500 ml	C13T45P100	1500 ml	C13T45P100
	Cyan Ink	1500 ml	C13T45P200	1500 ml	C13T45P200
	Magenta Ink	1500 ml	C13T45P300	1500 ml	C13T45P300
	/ Yellow Ink	1500 ml	C13T45P400	1500 ml	C13T45P400
	Light Cyan Ink			1500 ml	C13T45P500
	6 Light Magenta Ink			1500 ml	C13T45P600
	6 Grey Ink				
	Light Black Ink			1500 ml	C13T45P700
	Orange Ink			1500 ml	C13T45P800
Ŋ	Red Ink			1500 ml	C13T45P900
뿗	White Ink			1500 ml	C13T45PA00
¥	Metallic Silver Ink			500 ml	C13T45PB00
CONSUMABLES	Cleaning Liquid	700 ml	C13T44A500	700 ml	C13T44A500
Ž	Varnish				
0	Optimiser				
	Maintenance Liquid				
	Maintenance Parts Kit		C13S210093		C13S210093
	Ink Cleaner		C13T699300		C13T699300
	Cleaning Stick		C13S090013		C13S090013
	Clean Room Wiper		C13S090016		C13S090016
	Waste Ink Bottle		C13S210071		C13S210071
	Wiper Unit				
	Cleaning Kit				
	Coolant				
	Bulk Ink Solution		C12C934611		C12C934631
	Substrate Support System				
п	Additional Print Drying System		C12C932381		C12C932381
OPTIONS	Option Set* *Includes Bulk Ink Solution, Substrate Support System and Curing heater.		C12C932411		C12C932411
	Media Edge Plate		C12C932411		C12C932411
	Media Spacer				
	Head Installation Kit				
	Document Pack				

PRINTER MODELS

SC-R5030L



Description		Ink Capacity	Product Code	Ink Capacity	Product Code
	Black Ink	1500 ml	C13T48D100	1500 ml x 2	C13T45R100
	Cyan Ink	1500 ml	C13T48D200	1500 ml x 2	C13T45R200
	Magenta Ink	1500 ml	C13T48D300	1500 ml x 2	C13T45R300
	Yellow Ink	1500 ml	C13T48D400	1500 ml x 2	C13T45R400
	Light Cyan Ink	1500 ml	C13T48D500	1500 ml x 2	C13T45R500
	Light Magenta Ink	1500 ml	C13T48D600	1500 ml x 2	C13T45R600
	6 Grey Ink				
	Light Black Ink				
	6 Orange Ink				
S	Red Ink				
3	White Ink				
Ā	Metallic Silver Ink				
CONSUMABLES	Cleaning Liquid			1500 ml	C13T45X100
NO O	Varnish				
ပ	Optimiser	1500 ml	C13T48D700	1500 ml x 2	C13T45R700
	Maintenance Liquid	1500 ml	C13T48D800	1500 ml x 2	C13T45R800
	Maintenance Parts Kit				
	Ink Cleaner				
	Cleaning Stick		C13S090013		C13S090013
	Clean Room Wiper		C13S090016		C13S090016
	Waste Ink Bottle		C13S210071		C13S210071
	Wiper Unit		C13S210100		C13S210100
	Cleaning Kit		C13S210103		C13S210103
	Coolant				
	Bulk Ink Solution				
	Substrate Support System				
П	Additional Print Drying System				
OPTIONS	Option Set* *Includes Bulk Ink Solution, Substrate Support System and Curing heater.		C12C935291		C12C935291
	Media Edge Plate		C12C935321		C12C935321
	Media Spacer		C12C937271		C12C937271
	Head Installation Kit				
	Document Pack				

SC-R5030

SIGNAGE

& OPTIONS

CONSUMABLES

PRINTER MODELS

SIGNAGE CONSUMABLES & OPTIONS



SC-V1030



SC-V7000

Description		Ink Capacity	Product Code	Ink Capacity	Product Code
	Black Ink	140 ml	C13T53R120	1000 ml	C13T49V110
	(Cyan Ink	140 ml	C13T53R220	1000 ml	C13T49V210
	Magenta Ink	140 ml	C13T53R320	1000 ml	C13T49V310
	Yellow Ink	140 ml	C13T53R420	1000 ml	C13T49V410
	Light Cyan Ink			1000 ml	C13T49V510
	Light Magenta Ink			1000 ml	C13T49V610
	⑥ Grey Ink			1000 ml	C13T49V710
	Light Black Ink				
	Orange Ink				
S	♠ Red Ink				C13T49V810
쁥	White Ink	140 ml	C13T53RA20		C13T49V910
¥	Metallic Silver Ink				
CONSUMABLES	Cleaning Liquid				C13T49V010
Ž	Varnish	140 ml	C13T53RV20		C13T49VA10
ပ	Optimiser				
	Maintenance Liquid				
	Maintenance Parts Kit				
	Ink Cleaner				
l	Cleaning Stick				
	Clean Room Wiper				
	Waste Ink Bottle				C13T724000
	Wiper Unit		C13S210146		
	Cleaning Kit				
	Coolant				C13S210135
	Bulk Ink Solution				
	Substrate Support System				
П	Additional Print Drying System				
OPTIONS	Option Set* *Includes Bulk Ink Solution, Substrate Support System and Curing heater.				
	Media Edge Plate				
	Media Spacer				
	Head Installation Kit				C12C935921
	Document Pack				C12C936421